

VIDEO WALL FLOOR STAND

INTRODUCTION

ST22 series has a floor-standing design that does not require punching and does not need to be mounted on a load-bearing wall.

1. Smooth rolling braked castors for effortless positioning (4 braked casters)
2. Carrying a maximum load of 200 kg and an LCD display of 40-60 inches
3. Thickened and stable design, enhanced load-bearing
4. The tray and hanger can be adjusted up and down to the appropriate position
5. Flexible and installer-friendly, easy and convenient



ST22A



ST22B

Safety Screw Design

The boltom is designed with a safety anti-slip screw to prevent the display from moving



Double-Sided Hooking Process

Four points of load bearing, uniform force

Silent Wheel, Brake Design

Silent and wear-resistant, with brake function

Easy Installation

Integrated base, easy to install, convenient and fast

| Model | Color | Material | Suggest Size | Orientation | VESA Standard |
|-------|-------|-------------|--------------|-------------|--------------------------|
| ST22A | Black | steel /Alu. | 46"-55" | Landscape | Max. 800*400mm Landscape |
| ST22B | Black | steel /Alu. | 46"-55" | Landscape | Max. 800*400mm Landscape |

ST22 Series

INTRODUCTION

ST23 series has a floor-standing design that does not require punching and does not need to be mounted on a load-bearing wall.

1. High-quality cold-rolled steel plate, CNC shearing, stamping, bending, and robot welding;
2. Solid structure, durable, high-end style, luxurious and beautiful;
3. Suitable for conference centers, securities markets, dispatching and command centers, etc.;
4. The thickness of ordinary cabinets is 500mm, and an additional inspection space of about 500mm needs to be reserved, which is suitable for environments with sufficient installation space;



ST23A



Safety Screw Design

The bottom is designed with a safety anti-slip screw to prevent the display from moving.



Double-Sided Hooking Process

Four points of load bearing, uniform force

Silent Wheel, Brake Design

Silent and wear-resistant, with brake function

Easy Installation

Integrated base, easy to install, convenient and fast


| Model | Color | Material | Suggest Size | Orientation | VESA Standard |
|-------|-------|-------------|--------------|-------------|--------------------------|
| ST23A | Black | steel /Alu. | 46"-55" | Landscape | Max. 800*400mm Landscape |

ST23 Series

INTRODUCTION

ST33 series has a floor-standing design that does not require punching and does not need to be mounted on a load-bearing wall.

1. High-quality cold-rolled steel plate, CNC shearing, stamping, bending, and robot welding;
2. Solid structure, durable, high-end style, luxurious and beautiful;
3. Suitable for conference centers, securities markets, dispatching and command centers, etc.;
4. The thickness of ordinary cabinets is 500mm, and an additional inspection space of about 500mm needs to be reserved, which is suitable for environments with sufficient installation space;



ST33A

ST33B

Anti Detachment Design

Safety design anti falling device, more stable and safer

Safety Buckle, Reinforced Base

Seamless, corrosion-resistant, stable for listening
Simultaneously having a protective effect



Safety Screw Design

The boltom is designed with a safetyanti-slip screw to prevent the displayfrom maving



Double-Sided Hooking Process

Four points of load bearing, uniform force

Silent Wheel, Brake Design

Silent and wear-resistant, with brake function

Easy Installation

Integrated base, easy to install, convenient and fast

| Model | Color | Material | Suggest Size | Orientation | VESA Standard |
|-------|-------|-------------|--------------|-------------|--------------------------|
| ST33A | Black | steel /Alu. | 46"-55" | Landscape | Max. 800*400mm Landscape |
| ST33B | Black | steel /Alu. | 46"-55" | Landscape | Max. 800*400mm Landscape |

ST23 Series